

1-800-367-1492 • www.cpcsigns.com



School Zone Safety Products

STOP Hand Paddles



IN STOCK
with conduit handles



18" x 18" STOP/STOP School Crossing Hand Paddles

- ◆ Paddles made of .040" aluminum face
- ◆ Choose Non-Reflective -or- Engineer Grade Reflective Faces
- ◆ Choose 10" metal conduit -or- 7" wood handle.

Stock#	Description
SHP1818ST040BNH	18" x 18" STOP/STOP Non-Reflective Faces
SHP1818ST040ENH	18" x 18" STOP/STOP Engineer Grade Reflective Faces
HPHANDLE07WOOD	7" Wood Handle (1 1/8" Diameter)
HPHANDLE10	10" Galvanized Steel Conduit Handle (3/4" Diameter)
HPZFOAMGRIP	4.5" Foam Grip (shown above, sold separately)


RITSBES2180BBDAY26

Blinker Beacons™



Vertically Mounted Dual Solar Flashing LED Beacons

- ◆ Adds visibility
- ◆ Solar Powered, No electric bills, virtually maintenance free
- ◆ Low cost installation (No trenching or wiring)
- ◆ Patented AutoBright™ circuitry automatically adjusts brightness levels, maintaining optimal LED output & extending battery life



Traffic Cones & Class 2 Safety Vests



RSPCC2807WOR46

RSPCC2807WON

- ◆ Flexible Bright Fluorescent Orange PVC
- ◆ Sizes: 18" 3lbs. and 28" 7lbs.
- ◆ Reflective Collars available: 4" & 6" on 28" cones
- ◆ Tapered design enables stacking
- ◆ Other Sizes, Colors and Stenciling Available, Call for quote.

Economy Safety Vest

Specify Size - (L), (XL), (2X)
ANSI/ISEA 107-2010 Class 2
Choose (V) Hook & Loop or (Z) Zipper Closure Mesh Vest with Reflective Striping.

RSAGV2E0SD(X)M(XX)N Orange
RSAGV2ELSD(X)M(XX)N Lime



Chevron Safety Vest

Specify Size - (L) fits M-L, (2X) fits XL-2XL, (5X) fits 3XL-5XL
ANSI/ISEA 107-2010 Class 2
Hook & Loop Closure, Expandable Waist, Adjustable Side Straps, Reflective Chevron Striping, Contrasting Trim and Pockets.

RSAGV2CVSOLM(XX)N Orange
RSAGV2CVLSM(XX)N Lime



Pedestal Bases

RPOGP4
14" Cast Iron Base With 4" Pipe.

Weights
27 lbs.



Cast Iron Pedestal Bases are drilled for mounting 12x18, 18x24, & 24x24 signs.

ANSI/ISEA Class 2 Level 2 Safety Vests are recommended for Crossing Guards

Facility Signs

Made from .040" aluminum with a painted finish, and corner holes for wall mount.



ISS1014A211



ISS1014A225



ISS1014A205



ISS1014A203



ISS0710A234



ISS0710A235



ISS0710A220

We carry a full line of facility signs. Visit our website to see more: www.cpcsigns.com

The .040" Aluminum non-reflective signs below are less expensive than reflective which makes them ideal for private properties.



ISS1420AP415



ISS1420AP416



ISS1420AP417



ISS1420AP406



ISS1420AP414



ISS1420AP420



ISS1420AP407



Warning Lights

Add a Light to a Sign.



RSPBBL6YY - Yellow Lens
RSPBBL6RY - Red Lens
Type B LED

RSPBBL3YYSA - Yellow Lens
RSPBBL3RYSA - Red Lens
Type B Solar LED



S3030S45(XX)DAG
S3636S45(XX)DAG
S3030S45(XX)HDAG*
S3636S45(XX)HDAG*
*Specify Speed



3MTM FYG Diamond GradeTM Required in School Zones



Alert Flags



RSPFLAGVINYL1824
18x18 Vinyl Flag w/24" Handle
RSPFLAGVINYL2436
24X24 vinyl Flag w/36" Handle



S3030S31DAG
S3636S31DAG



Playground
S2424W151(X)A
S3030W151(X)A
S3636W151(X)A



S1218S36(X)A



S1218R74F(X)A



S3030S32DAG
S3636S32DAG



Bicycle Traffic
S2424W111DAG
S3030W111DAG
S3636W111DAG



S1218R7228(X)A



S1218R7229(X)A



S3030S45A(XX)DAG
S3636S45A(XX)DAG
*Specify Speed



S1236R16AHDAG*



S1236R16HDAG*



S3030S11DAG
S3636S11DAG



S2448S51(XX)FHA
*Specify Speed



S2418W162PDAG
S3024W162PDAG
*Specify FEET



S2408S43PDAG



S2412W162APDAG
S3018W162APDAG
*Specify FEET



S2412W169PDAG
S3018W169PDAG



S1812R7431(X)A



S1812R7432(X)A



S1218R7360(X)A



S1218R7310(X)A



S1218R7321(X)A



S2412W166PRDAG
S3018W166PRDAG



S2412W166PLDAG
S3018W166PLDAG



S1824R21(15*)(X)A
S2430R21(15*)(X)A
*Specify Speed



S1812R7433(X)A



S1812R7434(X)A



S1218R7304(X)A



S1218R7309(X)A



S1218R7323(X)A



S2412W167PRDAG
S3018W167PRDAG



S2412W167PLDAG
S3018W167PLDAG



S2424R51(X)A
S3030R51(X)A



S1218R7502(X)A




S1218R78D(X)A



S1218R7217(X)A



S2430S52(X)A



S2430S53(X)A



S2412W165PDAG
S3018W165PDAG



S2412S47PDAG
S3018S47PDAG



S2424R11(X)A
S3030R11(X)A



S1206R78PB(X)A



S1206R78PG(X)A



S2410S46P(X)A




S2410S42P(X)A



S2410S44P(X)A



S2430R210(X)A



S2430R211(X)A



S2410S41P**(X)A
**Specify times



S2418R26P(X)A

SCHOOL ZONE SAFETY

Plasticade Safety Signage

Easy-Fold Sandwich Boards are a great option for Temporary Traffic Control when ease of use and portability are a must. *Call today for your quote!*




Minicade®

Holds signs 12"W x 24"H
Dimensions: 36"H x 13"W
Item C155 Weight: 10 lbs.

Signicade®

Holds signs 24"W x 36"H
Dimensions: 45"H x 25"W
Item C130 Weight: 18 lbs.

- ◆ 51 Standard Legends (20 shown); *Custom Legends also available.*
- ◆ Available blank, single or double sided.
- ◆ Sheeting: High Intensity (H) or Engineer Grade (E)
- ◆ School Zone Sign Sheeting: FYG VIP only (D)
- ◆ May be internally ballasted with sand.



CODE	LEGEND/COLOR SCHEME	CODE	LEGEND/COLOR SCHEME	CODE	LEGEND/COLOR SCHEME	CODE	LEGEND/COLOR SCHEME
1147	SLOW SCHOOL ZONE AHEAD	1091	← NO EXIT	1046	DO NOT ENTER	1102	PARKING LOT CLOSED
9278	SCHOOL CROSSING	1048	EXIT	1093	NO PARKING	1104	PARKING LOT FULL
1126	SCHOOL ZONE 10 MPH	1049	EXIT →	1098	← PARKING	1198	RESERVED
1127	SCHOOL ZONE 15 MPH	1073	← KEEP LEFT	1099	PARKING →	1162	STOP
1128	SCHOOL ZONE 20 MPH	1074	KEEP RIGHT →	1100	↑ PARKING	1164	STOP FOR PEDESTRIANS IN CROSSWALK

SCHOOL ZONE SAFETY

In-Street Pedestrian Signage

Children and other pedestrians are at risk when crossing the street every single day.



- ◆ Quickly grabs motorist's attention and alerts them to pedestrians in crosswalk.
- ◆ Utilizes Highly Visible, Reflective Diamond Grade Fluorescent Yellow Green sheeting *plus* FYG posts.
- ◆ 12X36 Yield to Pedestrian -or- Stop for Pedestrian signs are constructed of durable plastic.

52" X-Tube Rigid Upright with Sign

PART #	LEGEND
RPOFPIPX50WHTSS603	YIELD to Ped - Double Faced
RPOFPIPX50WHTSS602	YIELD to Ped - Single Faced
RPOFPIPX50WHTSS605	STOP for Ped - Double Faced
RPOFPIPX50WHTSS604	STOP for Ped - Single Faced

Choose Sign from above to use with the Yeti Base

RPOFZPXTUBESEYETI "The Yeti" 40# Portable Base:
A heavy duty portable base used in conjunction with our X-Tube upright.



42" EFX FYG Flexible Safety Post with Sign

PART #	LEGEND
RPOFPIPG342FLGFX613	YIELD to Ped - Double Faced
RPOFPIPG342FLGFX612	YIELD to Ped - Single Faced
RPOFPIPG342FLGFX615	STOP for Ped - Double Faced
RPOFPIPG342FLGFX614	STOP for Ped - Single Faced

Choose Sign from above to use with the Banana Base or Fixed Base

RPOFZPBASEBANANA 35# Portable Banana Base:
A rubber base for demanding applications.

Also Available: The 300 FYG Fixed Base for fixed installations where the post and base will remain on the road surface for an extended period of time

Bases are constructed of a UV stable, high impact plastic. Safety posts are mounted to the base with two nylon locking pins. Bases are secured to the roadway with either epoxy or bolts.

RPOFZPFG300BAFYG
Fixed Base



Recycled Rubber Speed Bumps & Parking Curbs




- ◆ Made of 100% recycled rubber tires
- ◆ Embedded reflective glass beads
- ◆ Removable, flexible and durable
- ◆ Installs with 14" rebar spikes (1/2" masonry bit required)

Stock#	Description	Size	Spikes	Weight
RPMRRSB48	Speed Bump	4' x 2.25" x 11"	3	35 lbs.
RPMRRSB72	Speed Bump	6' x 2.25" x 11"	5	52 lbs.
RPMRRPC6YL	Yellow Parking Curb	6' x 6" x 4.25"	4	36 lbs.
RPMRRPC6BL	Handicap Blue Parking Curb	6' x 6" x 4.25"	4	36 lbs.
RPMRRRSPIKE	Rebar Spike Pointed	14"		1.22 lbs.

Stickers, Decals & Tags

Bumper stickers are available in removable white or yellow vinyl. High initial tack makes for easy application, yet they can be removed within 6 months of application.



AVAILABLE SIZES:
 7½" X 3¾" • 15" X 3¾"
 11½" X 3" • 6¼" X 3"
 11½" X 3¾" • 6" X 4"



Parking permits are available on white vinyl, reflective, clear polyester, or static cling vinyl. Rear view mirror hang tags made from .015" Or .035" Polyethylene and consecutive numbering are also available.




Polyester Decals in mirror finish chrome or gold, and brushed finish chrome with permanent pressure sensitive adhesive.



Vinyl Decals are made with a 3.5 Mil pressure sensitive adhesive and backed with a two sided poly coated lay flat liner. Expected **exterior life is 2+ years**. Available in **clear, yellow, and white**.



Don't See it? CALL US, we will get it!



Pavement Marking Stencils



SAVE Time, Money & Clean-up!

Unlike wood, aluminum and other stencils, these plastic stencils will not break, warp, bend, crease, or load up with paint.



- ◆ Stencils available in standard and custom legends for all your traffic, parking lot, playground, and athletic field needs.
- ◆ Conforms to MUTCD specifications
- ◆ 1/8" thick heavyweight poly- vinyl
- ◆ Stencils roll-up for quick shipping
- ◆ Lightweight and Easy to transport
- ◆ Will not warp out of shape
- ◆ Fast easy cleanup, paint breaks and falls away by flexing and tapping a hard surface
- ◆ Call for a Stencil Quote

Inverted Tip Marking Paint

Standard and Fluorescent Colors		
RED (RE)	ORANGE (OR)	BLUE(B)
FL RED (FRE)	FL ORANGE (FOR)	FL BLUE (FBL)
GREEN (GR)	FL RED/ORANGE (FROR)	YELLOW (YE)
FL GREEN (FGR)	FL PINK (FPI)	WHITE (WH)
RPMPITIP(WB)(XX)	Water Based Paint	BLACK (BK)
RPMPITIP(SB)(XX)	Solvent Based Paint	



- ◆ 20 oz. Krylon
- ◆ Sold by Case (12 Cans/Case)
- ◆ Water-based and Solvent-based

MIX-n-MATCH colors in case

RPMPITIPMWAND
34" Marking Wand

SCHOOL ZONE SAFETY



School Zone Signs MUTCD Regulations

Are Your Signs **BIG ENOUGH?**

Larger signs are required throughout the 2009 MUTCD.

Are Your Signs **BRIGHT ENOUGH?**

Flourescent Yellow Green sheeting is required for ALL School Zone Warning Signs.



COMPLIANCE REQUIRED

as signs are being replaced or refurbished because they are damaged, missing, or no longer serviceable for any reason.


For more information, call customer service, visit our website: www.cpcsigns.com or the official MUTCD website: <http://mutcd.fhwa.dot.gov>

Are Your Signs **CORRECT?**

There are new signs in every section of the 2009 MUTCD.



The S2-1 School Advance Crossing sign has been replaced by the S1-1 School Crossing sign combined with the W16-9 AHEAD, the W16-2 500 FEET, or the W16-7 Arrow Plaque.



The S5-3 END SCHOOL SPEED LIMIT or S5-2 END SCHOOL ZONE sign is required at the end of reduced school speed limit zone.



The S3-1 School Bus Stop Ahead (words) has been replaced by the NEW S3-1 School Bus Stop Ahead Symbol.



SCHOOL ZONE #1 - 2014



VOICE: 1-800-367-1492 • FAX: 1-800-206-3444
sales@cpcsigns.com • www.cpcsigns.com

JACKSON, MISSISSIPPI