



1-800-367-1492 • www.cpcsigns.com







COMPONENTS

CUSTOM STREET NAME PROGRAM

The modular nature of the custom street name program components allows you to customize and coordinate your street name signs, wayfinding signs, mailboxes, entrance signs, and more while creating a decorative look for your town or neighborhood.

Smooth -or- Fluted Round Posts

3" Round Fluted or Smooth			
(X) (F) = Fluted (S) = Smooth Aluminum Post			
(XX) No Holes (P0) or 8 Holes* = (P) (P2) (P3)			
ITEM CODE	Length	Wall Thickness	
OPOR3A(X)10125BK(XX)	10' (120")	.125"	
OPOR3A(X)12125BK(XX)	12' (144")	.125"	
OPOR3A(X)14125BK(XX)	14' (168")	.125"	
4" Round Fluted or Smooth			
ITEM CODE	Length	Wall Thickness	
OPOR4A(X)10125BK(XX)	10' (120")	.125"	
OPOR4A(X)12125BK(XX)	12' (144")	.125"	
OPOR4A(X)14125BK(XX)	14' (168")	.125"	

3" Round Smooth			
(XX) No Holes (P0) or 8 Holes* = (P) (P2) (P3)			
ITEM CODE	Length	Gauge	
OPOR3S1014BK(XX)	10' (120")	14 Gauge	
OPOR3S1214BK(XX)	12' (144")	14 Gauge	
OPOR3S1414BK(XX)	14' (168")	14 Gauge	
4" Round Smooth			
ITEM CODE	Length	Gauge	
OPOR4S1011BK(XX)	10' (120")	11 Gauge	
OPOR4S1211BK(XX)	12' (144")	11 Gauge	
OPOR4S1411BK(XX)	14' (168")	11 Gauge	

NOTE: POSTS TALLER THAN 8' MUST SHIP TRUCK LINE. *Call Customer Service for sign bracket pre-punched hole compatibility information.

Super-Lok Premium Brackets

Brackets & Clamps

5 1/2" slot includes hardware for sign blades.



OSIZ1CRP990(F/X)BK
Crosspiece



OSIZ1CRP457(F/X)BK
45° Universal



OSIZ1R3P993(F/X)BK
Post Cap for 3" Round Post



(Set of 2) U-Bolt Clamps
OTSBZR3UBCLAMP3BK for 3" Round Post
OTSBZR4UBCLAMP4BK for 4" Round Post

12" Jumbo Brackets

Bracket Hardware • Tools



OSIZ1CRJ412C(F/X)BK
Crosspiece



OSIZ1R3J412R(F/X)BK
Post Cap for 3" Round Post



Black Stainless Steel Set Screw
OZHRHBSK56BLACK - single
OZHRHBSK56BLACKPK - 3 pack



RHBSKT100
Allen Wrench Tool For Set Screws



RHBSKF100
Allen Wrench Tool For Set Screws

Wing Brackets

Bell Wing Bracket
OSIZ2UNPCTBW12BK - 12" Long
(Requires single strap)

OSIZ2UNPCTBW18BK - 18" Long
OSIZ2UNPCTBW24BK - 24" Long

Sign attaches with 5/16" bolts.
Hardware NOT Included.



OSIZ2UNPCT4BK
4.5" x 2.5"



OSIZ2UNCT836BK
36" Long



OSIZ2UNCT830BK
30" Long



OSIZ2UNCT800BK
24" Long




OSIZ2UNCT8BK
14.4" Long

(Cantilever Wing Brackets shown require a "P2" post hole punch pattern)

Round Post Anchors


Round Post Anchor Plate




- Flush mount helps prevent vehicle rollovers.
- NCHRP 350 APPROVED allows product to breakaway when hit.
- Guaranteed re-usability saves time and money for customer.
- Stabilizer Bar & Bolt for anti-twist and turning.
- Yield and release method allocates time for post to pop up, allows drivers to drive thru.

Surface Mount Welded Plate
OPOR(3/4)ASMWBK - for 3" or 4" Round Aluminum Smooth or Fluted Posts
OPOR(3/4)SSMWBK - for 3" or 4" Round Steel Smooth Posts


Solve your round post anchoring problem with these anchor plates designed to keep post from turning and reducing the need for concrete.



BA080APLATE238
Fits 2 3/8" - 3" Diameter Posts
7.75" X 6.0"
0.3 Lbs Net Wt.



RH141HEXSETTER
Driver For Screws



RH141HEX
Self Tapping Metal Screw
(2 Required)

NOTE: V-loc soil mounts do not require concrete, saving time on the job-site.

Breakaway System V-Loc Kits		
ITEM CODE	Ground Type	
RPORZVR1P330RNC	New Concrete	
RPORZVR330R	Soft Soil	
RPORZVR330RC	Existing Concrete	

Round Post Caps & Finials

Sign Top Finial



Bracket Sign Top Adapter
OSIZ1RADAPTER34
Adapts 4" Post to 3" Cap

More Finial Styles Available,
Call for Details



Closure Cap
OPOZFR3CPLCAP30BK
for 3" Round Post



Spear
OPOZFR39516MDBK
for 3" Round Post



Pineapple
OPOZFR3657MDBK
for 3" Round Post



Ball FINB3
OPOZFR3FINB3BK
for 3" Round Post



Bracket Sign Top Adapter Cap
OSIZ1RADAPTER
Adapts 3" Post to 2-3/8" Cap



Ball FINR4
OPOZFR4FINR4BK
for 4" Round Post



Acorn FINA4
OPOZFR4FINA4BK
for 4" Round Post



Decorative Top Finial
OPOZF1317(F/X)BK

3" Round Post Bases

4" Round Post Bases



8397 Base - 8.5" H
OPOZBR38397ABK
for 3" Round Post



SB-23 - 4" H
OPOZBR35B23BK
for 3" Round Post



SB-93 - 16" H
OPOZBR35B93BK
for 3" Round Post



2PC3 - 24" H
OPOZBR32PC3BK
for 3" Round Post



SB-33 - 24" H
OPOZBR35B33BK
for 3" Round Post



9993 - 27" H
OPOZBR39993BK
for 3" Round Post



SB-94 - 16" H
OPOZBR45B94BK
for 4" Round Post



SB-24 - 3.5" H
OPOZBR45B24BK
for 4" Round Post



SB-64 - 18" H
OPOZBR45B64BK
for 4" Round Post



2PC4 - 24" H
OPOZBR42PC4BK
for 4" Round Post



SB-34 - 25" H
OPOZBR45B34BK
for 4" Round Post

Bracket Hardware • Tools

Round Posts Sign Arm Brackets




Black Torx Head Screw
OZHRH140
(For mounting bent lip design street name signs to sign arm brackets)




Torx Bit Extension
RHBTHB3 - 3.5"



Torx Head Screw Bit
RHBTHB14



Universal Sign Arm with Lemon Drop Finial
OSIZ2UNSAJBK - 30" long
OSIZ2UNSACLDBK - 36" long



Universal Sign Arm with Ornate Scroll & Lemon Drop Finial
OSIZ4UNJSCROLLDBK - 30" long
OSIZ4UNCSCROLLDBK - 36" long



Universal Sign Arm with Ornate Dogwood & Lemon Drop Finial
OSIZ4UNJDOGWLDBK - 30" long
OSIZ4UNCDOGWLDBK - 36" long

Sign arm brackets require "P" post hole punch pattern.



Hardware Sets

- OZHRH03** for Mounting 2 Sign Brackets to 3" Post
- OZHRH04** for Mounting 2 Sign Brackets to 4" Post
- OZHRH03L3** for Mounting Sign Trims Only to 3" Post
- OZHRH04L3** for Mounting Sign Trims Only to 4" Post

Trim Brackets



Logo Trim Bracket
OSIZ3UNJTRIMLOGOBK - 6" x 6"
OSIZ3UNCTRIMLOGOBK - 9" x 9"




Sign Trim Bracket
OSIZ3UNJTRIM36BK - 6" x 36"
OSIZ3UNCTRIM36BK - 9" x 36"
OSIZ3UNCTRIM42BK - 9" x 42"

Trim Brackets designed for use with .080" aluminum.

Post hole punch patterns required: Use "P3" for 6" trims and "P" for 9" trims.

3" and 4" ROUND POSTS • BRACKETS • HARDWARE

2 3/8" Smooth Round Posts



POZ-LOC® Socket System - a simple, cost effective way to install small signs without digging, concrete, threading, or nuts and bolts. Simple to use, a socket assembly includes a 27" socket & wedge. *Post is not included.*

RPORZPOZLOCSW for 2 3/8" O.D. Post



Black Powder Coated Galvanized Steel Post

2 3/8" Round

ITEM CODE	Length	Gauge
OPOZARPORG10BK	10' (120")	16 Gauge
OPOZARPORG12BK	12' (144")	16 Gauge

- ◆ 2 3/8" O.D. Round galvanized steel posts available in 10' and 12' lengths
- ◆ Wall thickness is .065" (16 gauge)



NOTE: THESE POSTS MUST SHIP TRUCK LINE.

Premium Brackets

5 1/2" slot includes hardware for sign blades.



OSIZ1CRP990(F/X)BK
Crosspiece



OSIZ1CRP457(F/X)BK
45° Universal



OSIZ1R238P922(F/X)BK
2 3/8" OD Round Post Cap



OSIZ1CRJ412C(F/X)BK
Crosspiece



Post Cap
OSIZ1R238J412R(F/X)BK
for 2 3/8" Round Post

12" Jumbo Brackets

Brackets & Clamps



(Set of 2)
Back to Back Bracket
OTSZR238PPBZBB832BK
for 2 3/8" O.D. Post



(Set of 2)
Single Bracket
OTSZR238Z238BK
for 2 3/8" O.D. Post



(Set of 2) U-Bolt Clamps
OTSBR238UBCLAMPBK
for Single Bracket

Sign Top Finial



Decorative Top Sign Finial
OPOZF1317(F/X)BK



Bracket Hardware • Tools



Black Stainless Steel Set Screw
OZHRHBSK56BLACK - single
OZHRHBSK56BLACKPK - 3 pack



RHBSSKT100
Allen Wrench Tool
For Set Screws



RHBSSKF100
Allen Wrench Tool
For Set Screws



Closure Cap
OPOZFR238CPLCAPBK
for 2 3/8" Round Post



Dome Cap
OPOZFR238CPCDC250BK
for 2 3/8" Round Post

Wing Brackets



Bell Wing Bracket
OSIZ2UNPCTBW12BK - 12" Long
(Requires single strap)
OSIZ2UNPCTBW18BK - 18" Long
OSIZ2UNPCTBW24BK - 24" Long
Sign attaches with 5/16" bolts.
Hardware NOT Included.


Wing Bracket
OSIZ2UNPCT4BK
4.5" x 2.5"



OSIZ2UNCT800BK
24" Long



OSIZ2UNCT8BK
14.4" Long



OSIZ2UNCT836BK
36" Long

(Cantilever Wing Brackets shown require a "P2" post hole punch pattern)



OSIZ2UNCT830BK
30" Long

Round Post Anchor Plate



BA080APLATE238
Fits 2 3/8" - 3" Diameter Posts
7.75" X 6.0"
0.3 Lbs Net Wt.

Solve your round post anchoring problem with these anchor plates designed to keep post from turning and reducing the need for concrete.



RH141HEX
Self Tapping Metal Screw
(2 Required)



RH141HEXSETTER
Driver For Screws

U-Channel Posts & Accessories

Sign Saver

Place between sign and post and sign will not bend from over tightening.

BA080SAVER



NOTE: POSTS TALLER THAN 8' MUST SHIP TRUCK LINE.

* Base Posts for Breakaway Feature



ITEM CODE	Length	Weight
RPOCG0352*	3.5FT	2LB
OPOZARPOCP062BK	6FT	2LB
OPOZARPOCP082BK	8FT	2LB
OPOZARPOCP102BK	10FT	2LB
OPOZARPOCP122BK	12FT	2LB
OPOZARPOCP123BK	12FT	3LB

BA080APLATEUCH

Anchor Plate

Galvanized anchor plate keeps post firmly in place.

- ◆ Manufactured from high tensile steel.
- ◆ Punched full length with 3/8" holes on 1" centers.
- ◆ Black powder coat over a galvanized finish.
- ◆ Measured by length and pounds per foot.


U-Channel Break-A-Way Systems



Safety Splice System



- ◆ Ingeniously simple design by Chicago Heights Steel.
- ◆ FHWA & AASHTO approved.
- ◆ Posts to 4 lbs.
- ◆ Two special bolts & spacers join base post to top post.



RPOCZSAFETYSPLICE for 1-2½ lb posts
RPOCZSAFETYSPLICE3 for 3-4 lb posts



Lap Splice System

- ◆ Economical breakaway system by Marion Steel.
- ◆ FHWA & AASHTO approved.
- ◆ Posts to 4 lbs.
- ◆ Two special bolts & spacers join base post to top post.

RPOCZLAPSPLICE Silver for 2-2½ lb posts 3/8" x 3/4" x 5"
RPOCZLAPSPLICEG Gold for 3-4 lb posts 1/2" x 3/4" x 5"

U-Channel Post Hardware

Vandal Proof System



RHBS1625OW
One-Way Tamper Bolt
5/16" x 2 1/2"



RHW516NYLON
5/16" Nylon Washer



RHB51625C
5/16" x 2 1/2"
RHB51630CAT
5/16" x 3"
Zinc Carriage Bolt



RHN516VPA - Econo
5/16" Breakaway Vandal Proof Nut



RHN516VPAPREMIUM
5/16" Breakaway Vandal Proof Nut
Made In The U.S.A.

Special System



RHN516FLUTEDA
5/16" Fluted Tamper Resistant Nut



RHTN31
5/16" Tufnut



RHW516
5/16" Zinc Washer



RHN516FLUTEDT2
Tool For Fluted Nut

Standard System



RHW516NYLON
5/16" Nylon Washer



RHW516LOC
5/16" Zinc Lock Washer



RHB51625H
Zinc Hex Bolt
5/16" x 2 1/2"



RHN516
5/16" Zinc Nut

Sign Top Finial

OPOZF1317(F/X)BK
Decorative Sign Top Finial



Premium Brackets

5 1/2" slot includes hardware for sign blades.



OSIZ1CRP990(F/X)BK
Crosspiece



OSIZ1U180P91U(F/X)NUBK
180° U-Channel Cap



OSIZ1CRP457(F/X)BK
45° Universal



OSIZ1U90P91U(F/X)OLBK
90° U-Channel Cap

12" Jumbo Brackets



OSIZ1CRJ412C(F/X)BK
Crosspiece



OSIZ1U90J412U(F/X)OLBK
U-Channel Cap



OSIZ1U180J412U(F/X)NUBK
180° U-Channel Cap

Cherry-Mate Rivets & Rivet Gun



RHRBALM8BP18
1.12# U-Channel Post
RHRBALM8BP26
2# U-Channel Post
RHRBALM8BP34
3-4# U-Channel Post

RHRBALMGUN
Rivet Gun

Bracket Hardware • Tools



Black Stainless Steel Set Screw
OZHRHBSSK56BLACK - single
OZHRHBSSK56BLACKPK - 3 pack



RHBSKT100
Allen Wrench Tool
For Set Screws



RHBSKF100
Allen Wrench Tool
For Set Screws

Punched Square Posts, Hardware & Break-A-Way Systems

1.75" Square Punched			
Punched full length with 7/16" holes on 1" centers.			
ITEM CODE	Length	Gauge	
OPOZARPOSG0814175	8' (96")	14 Gauge	
OPOZARPOSG1014175	10' (120")	14 Gauge	
OPOZARPOSG1214175	12' (144")	14 Gauge	
2" Square Punched			
ITEM CODE	Length	Gauge	
OPOZARPOSG08142	8' (96")	14 Gauge	
OPOZARPOSG10142	10' (120")	14 Gauge	
OPOZARPOSG12142	12' (144")	14 Gauge	
Square Punched			
Punched full length with 7/16" holes on 1" centers.			
ITEM CODE	Size	Length	Gauge
RPOSG03122	2.00"	3' (36")	12 Gauge
RPOSG0312225	2.25"	3' (36")	12 Gauge
RPOSG0151225	2.50"	1.5' (18")	12 Gauge
RPOSG025122	2.00"	2.5' (30")	12 Gauge
RPOSG035122	2.00"	3.5' (42")	12 Gauge



NOTE: POSTS TALLER THAN 8' MUST SHIP TRUCK LINE.

- ◆ Superior torsional strength with easy, safe installation by hand or with power equipment.
- ◆ Convenient sign mounting before installation.
- ◆ Versatile, 4-sided sign mounting, at any height.
- ◆ Fast and economical replacement of damaged posts.
- ◆ Re-usable materials.
- ◆ FHWA-approved yielding capability.

Breakaway Anchor Installation

A POZ-LOC® Performance Post anchor can be driven into the ground first, allowing crews to work at ground level for quicker, cost-effective installations or replacement of damaged sign posts.



RHBCORNERBOLT25
includes jam nut

Corner bolt to mount top post to base post, up to 2.5"

Super-Lok Premium Brackets

SUPER-LOK Premium Brackets - 5 1/2" slot includes hardware for sign blades.



OSIZ1CRP990(F/X)BK
Crosspiece



OSIZ1CRP457(F/X)BK
45° Universal



OSIZ1S2P97(F/X)BK
2" Square Post Cap



OSIZ1WDP827(F/X)BK
4" x 4" Wood Post



Pyramid Cap
OPOZFS175CPPCAPBK
for 1.75" Square Post
OPOZFS2CPPCAPBK
for 2" Square Post

12" Jumbo Brackets



OSIZ1CRJ412C(F/X)BK
Crosspiece



OSIZ1S2J412SQ(F/X)BK
2" Square Post Cap



Black Stainless Steel Set Screw
OZHRHBSSK56BLACK - single
OZHRHBSSK56BLACKPK - 3 pack



RHBSST100
Allen Wrench Tool
For Set Screws



RHBSKF100
Allen Wrench Tool
For Set Screws

Cherry-Mate Rivets & Rivet Gun




RHRBALM8BP26
for 1.5" Square Post
RHRBALM8BP34
for 2" Square Post



RHRBALMGUN
Rivet Gun

Square Post Anchor Plate



Anchor Plate

Galvanized anchor plate keeps square post firmly in place.

BA080APLATEUCH
7" x 4" | 0.5 Lbs Net Wt.

3" & 4" Smooth Square Posts

3" Square Smooth		
(XX) No Holes (P0) or 8 Holes* = (P) (P2) (P3)		
ITEM CODE	Length	Wall Thickness
OPOS3A10125BK(XX)	10' (120")	.125"
OPOS3A12125BK(XX)	12' (144")	.125"
OPOS3A14125BK(XX)	14' (168")	.125"
4" Square Smooth		
ITEM CODE	Length	Wall Thickness
OPOS4A10125BK(XX)	10' (120")	.125"
OPOS4A12125BK(XX)	12' (144")	.125"
OPOS4A14125BK(XX)	14' (168")	.125"

Black Powder Coated
Aluminum Post



3" Square Smooth		
(XX) No Holes (P0) or 8 Holes* = (P) (P2) (P3)		
ITEM CODE	Length	Gauge
OPOS3S1014BK(XX)	10' (120")	14 Gauge
OPOS3S1214BK(XX)	12' (144")	14 Gauge
OPOS3S1414BK(XX)	14' (168")	14 Gauge
4" Square Smooth		
ITEM CODE	Length	Gauge
OPOS4S1011BK(XX)	10' (120")	11 Gauge
OPOS4S1211BK(XX)	12' (144")	11 Gauge
OPOS4S1411BK(XX)	14' (168")	11 Gauge

Black Powder Coated
Steel Post

NOTE: POSTS TALLER THAN 8' MUST SHIP TRUCK LINE. *Call Customer Service for sign bracket pre-punched hole compatibility information.

Wing Brackets



Bell Wing Bracket
OSI2ZUNPCTBW12BK - 12" Long
(Requires single strap)
OSI2ZUNPCTBW18BK - 18" Long
OSI2ZUNPCTBW24BK - 24" Long
Sign attaches with 5/16" bolts.
Hardware NOT Included.



Wing Bracket
OSI2ZUNPCT4BK
4.5" x 2.5"



OSI2ZUNCT8BK
14.4" Long



OSI2ZUNCT800BK
24" Long



OSI2ZUNCT830BK
30" Long



OSI2ZUNCT836BK
36" Long

(Cantilever Wing Brackets shown require a "P2" post hole punch pattern)

3" & 4" Square Post Caps & Bases



Cap FINQC
OPOZFS3FINQC3BK
for 3" Square Post
OPOZFS4FINQC4BK
for 4" Square Post



End Cap FINQE
OPOZFS3FINQE3BK
for 3" Square Post
OPOZFS4FINQE4BK
for 4" Square Post



Base SBQ
OPOZBS3SBQ13BK - 3" H
for 3" Square Post
OPOZBS4SBQ14BK - 3.5" H
for 4" Square Post



FINQ-P4
OPOZFS4FINQP4BK
for 4" Square Post



Ball FINQ-B4
OPOZFS4FINQB4BK
for 4" Square Post



Base 2PCQ4 - 20" H
OPOZBS42PCQ4BK
for 4" Square Post

Bracket Hardware • Tools



Black Torx Head Screw
OZHRHBT140
(For mounting bent lip design street name signs to sign arm brackets)




Torx Head Bit Extension
RHBTHB3 - 3.5"




Torx Head Screw Bit
RHBTHB14

Smooth Square Posts Sign Arm Brackets



Universal Sign Arm with Lemon Drop Finial
OSI2ZUNSAJBK - 30" long
OSI2ZUNSACLDBK - 36" long



Universal Sign Arm with Ornate Scroll & Lemon Drop Finial
OSI4UNJSCROLLDBK - 30" long
OSI4UNCSCROLLDBK - 36" long



30" long is quick ship

Sign arm brackets require "P" post hole punch pattern.



Hardware Sets

- OZHRH03** for Mounting 2 Sign Brackets to 3" Post
- OZHRH04** for Mounting 2 Sign Brackets to 4" Post
- OZHRH03L3** for Mounting Sign Trims Only to 3" Post
- OZHRH04L3** for Mounting Sign Trims Only to 4" Post

Trim Brackets



Logo Trim Bracket
OSI23UNJTRIMLOGOBK - 6" x 6"
OSI23UNCTRIMLOGOBK - 9" x 9"



Sign Trim Bracket
OSI23UNJTRIM36BK - 6" x 36"
OSI23UNCTRIM36BK - 9" x 36"
OSI23UNCTRIM42BK - 9" x 42"



Trim Brackets designed for use with .080" aluminum.

Post hole punch patterns required: Use "P3" for 6" trims and "P" for 9" trims.

SQUARE POSTS • BRACKETS • HARDWARE


Street Name Finished Signs & Blanks

Finished Signs


- Doubled-Sided
- Standard/Custom Color
- Custom Text & Font
- White HIP • **Bent Lip**



OSI41001CHWH - 36" x 13.5"
OSI41001JHWH - 30" x 11"



OSI41016CHWH - 36" x 15"
OSI41016JHWH - 30" x 11.82"



OSI41003CHWH - 36" x 12"
OSI41003JHWH - 30" x 9.25"



OSI41004CHWH - 36" x 14.25"
OSI41004JHWH - 30" x 11.5"




OSI41025CHWH - 36" x 12"
OSI41025JHWH - 30" x 10"

Finished Signs


- Doubled-Sided
- Standard/Custom Color
- Custom Text & Font
- White HIP • **NO Lip**



OSI11001CHWH - 36" x 13.5"
OSI11001JHWH - 30" x 11"



OSI11016CHWH - 36" x 15"
OSI11016JHWH - 30" x 11.82"



OSI11003CHWH - 36" x 12"
OSI11003JHWH - 30" x 9.25"



OSI11004CHWH - 36" x 14.25"
OSI11004JHWH - 30" x 11.5"



Logo Signs


OSI3CLOGOHWH - 9" x 9"
OSI3JLOGOHWH - 6" x 6"

Sheeted Reflective Blanks


- Doubled-Sided
- White HIP • **Bent Lip**




OSIS41001CHWH - 36" x 13.5"
OSIS41001JHWH - 30" x 11"



OSIS41016CHWH - 36" x 15"
OSIS41016JHWH - 30" x 11.82"



OSIS41003CHWH - 36" x 12"
OSIS41003JHWH - 30" x 9.25"



OSIS41004CHWH - 36" x 14.25"
OSIS41004JHWH - 30" x 11.5"



OSIS41025CHWH - 36" x 12"
OSIS41025JHWH - 30" x 10"



STREET NAME FINISHED SIGNS • BLANKS

Federal Standard Finished Signs • Letters: B Series or largest Highway Gothic Font Series that space allows on sign • Doubled-Sided • No Holes • No Border • White HIP • **NO Lip** **M2AH(X)D(XXXX)(R)BM(XX)N**

Overlay Film Color: (X) =



Blade Size: (XXXX) = (0942) 42" x 9" | (0936) 36" x 9" | (0630) 30" x 6" | (0636) 36" x 6"

Corner Radius: (R) = (T) 1.5" Radius for 9" Sign Trim Brackets | (S) .75" Radius for all other brackets


Letter Height: (XX) = (63) 6" Primary/Prefix & 3" Suffix for 9" Signs | (42) 4" Primary/Prefix & 2" Suffix for 6" Signs




Street Name Finished Signs & Blanks

Sheeted Reflective Blanks


- Doubled-Sided
- White HIP • **NO Lip**




OSIS11001CHWH - 36" x 13.5"
OSIS11001JHWH - 30" x 11"



OSIS11016CHWH - 36" x 15"
OSIS11016JHWH - 30" x 11.82"



OSIS11003CHWH - 36" x 12"
OSIS11003JHWH - 30" x 9.25"



OSIS11004CHWH - 36" x 14.25"
OSIS11004JHWH - 30" x 11.5"



BA080HWH1236SNSRD - 36" x 12"
BA080HWH0936SNSRD - 36" x 9"
BA080HWH0630SNSRD - 30" x 6"



Use below items in 9" trim sign bracket


BA080HWH0936SNSRD15 - 36" x 9"
BA080HWH0942SNSRD15 - 42" x 9"

Bare Blanks

- Bent Lip




OSIB41001C - 36" x 13.5"
OSIB41001J - 30" x 11"



OSIB41016C - 36" x 15"
OSIB41016J - 30" x 11.82"



OSIB41003C - 36" x 12"
OSIB41003J - 30" x 9.25"



OSIB41004C - 36" x 14.25"
OSIB41004J - 30" x 11.5"



OSIB41025C - 36" x 12"
OSIB41025J - 30" x 10"




Bare Blanks


- No Lip




OSIB11001C - 36" x 13.5"
OSIB11001J - 30" x 11"



OSIB11016C - 36" x 15"
OSIB11016J - 30" x 11.82"



OSIB11003C - 36" x 12"
OSIB11003J - 30" x 9.25"



OSIB11004C - 36" x 14.25"
OSIB11004J - 30" x 11.5"



BA0801236SNSR - 36" x 12"
BA0800936SNSR - 36" x 9"
BA0800630SNSR - 30" x 6"



Use below items in 9" trim sign bracket

BA0800936SNSR15 - 36" x 9"
BA0800942SNSR15 - 42" x 9"




**3M™ MCS™
Warranty**

The use of 3M's Matched Component System insures your investment. When signs are created with high quality 3M sheeting and components, the sign performance is backed by 3M warranties. The MCS guarantees that signs will remain effective for their intended use and meet minimum values for retroreflection for the specified warranty period. The use of any non-3M materials in conjunction with 3M products will void all warranties.

Custom Branding Options

Matching custom branded signage is available for parking facilities, parking areas, businesses, buildings and entrances. Also available are custom branded guide signage including wayfinding, metro street name signs, city entrance guide signs and ground mounted street name signs.




3M™ MCS™
Warranty



STREET NAME FINISHED SIGNS • BLANKS

Traffic Sign Backers



Laminate Vinyl offers the most cost effective option while retaining the classic feel of the ornamental system. Durable black vinyl is applied to the back of the traffic sign. This option is not visible from the front side of the sign.



.080 Aluminum Plates offer a lighter weight alternative to Steel Frames while retaining the classic feel of the ornamental system. Oversized by 3" for a defined 1.5" black border around the sign. Punched and radius to match sign. Powder coated semi-gloss black.



Steel Sign Frames include a steel backer plate welded to angle iron. Frames have a .75" radius and standard .375" holes to match the sign. Powder coated semi-gloss black.



ITEM CODE			FOR SIZES
Laminate Vinyl	Aluminum Plate	Steel Frame	
OTSBL1206BK	OTSBP1206BK	OTSBF1206BK	12" X 6" Horizontal Rectangle
OTSBL1806BK	OTSBP1806BK	OTSBF1806BK	18" X 6" Horizontal Rectangle
OTSBL1218BK	OTSBP1218BK	OTSBF1218BK	12" X 18" Vertical Rectangle
	OTSBP1812BK	OTSBF1812BK	18" X 12" Horizontal Rectangle
OTSBL1824BK	OTSBP1824BK	OTSBF1824BK	18" X 24" Vertical Rectangle
	OTSBP2418BK	OTSBF2418BK	24" X 18" Horizontal Rectangle
OTSBL2424BK	OTSBP2424DBK	OTSBF2424DBK	24" X 24" Diamond
	OTSBP2424OBK	OTSBF2424OBK	24" X 24" Octagon
	OTSBP2424SBK	OTSBF2424SBK	24" X 24" Square
OTSBL2430BK	OTSBP2430BK	OTSBF2430BK	24" X 30" Vertical Rectangle
OTSBL3030BK	OTSBP3030DBK	OTSBF3030DBK	30" X 30" Diamond
	OTSBP3030OBK	OTSBF3030OBK	30" X 30" Octagon
	OTSBP3030SBK	OTSBF3030SBK	30" X 30" Square
OTSBL3636BK	OTSBP3636DBK	OTSBF3636DBK	36" X 36" Diamond
	OTSBP3636OBK	OTSBF3636OBK	36" X 36" Octagon
	OTSBP3636SBK	OTSBF3636SBK	36" X 36" Square
	OTSBP3636TBK	OTSBF3636TBK	36" X 36" Triangle



Stainless Steel Strapping Packages & Tools

Buckle Bracket Package



OZHRHSSB7BK
Each kit contains everything needed, including hardware, to mount 1 sign to a post that is 4" - 12" in diameter.

Build Your Own Package

Snap Lock Assembly
OZHRHSLA07BK - 22" strap fits post up to 7" in Diameter
OZHRHSLA10BK - 31" strap fits post up to 10" in Diameter
OZHRHSLA1225BK 38" strap fits post up to 12.25" in Diameter



OZHRHSS3430BU3465BK
3/4"x.030"x39"
Black Stainless Steel Strapping with buckle

OZHRHSS1230BK 1/2"x.030"x100'
OZHRHSS3430BK 3/4"x.030"x100'
Black Stainless Steel Strapping



OZHRHSSPLUS4BK
Plus 4 Sign Bracket For Posts Over 4" in Outside Diameter



OZHRHSSMINUS4BK
Minus 4 Sign Bracket For Posts Under 4" in Outside Diameter



OZHRHSSHB3465BK
Buckle for 3/4" x .030" or thicker strapping



RHSSHB516
5/16" x 18 x 3/4"
Stainless Steel Bolt (Just the right length to fit the threaded PLUS 4 or Minus 4 Bracket)



OZHRHSSHWS06BK
Wing Seal for 3/4" x .025" or thinner strapping

OZHRHSSHB1265BK
Buckle for 1/2" x .030" or thicker strapping

OZHRHSSHWS05BK
Wing Seal for 1/2" x .025" or thinner strapping

Snap Lock Assembly Packages

for posts 4" OD or LESS

OZHRHSLAMINUSPKGBK

1 SIGN MOUNT PACKAGES

for posts 4" OD or LESS

OZHRHSLAMINUSPK2BK

2 SIGN MOUNT PACKAGES FOR BACK TO BACK APPLICATIONS

for posts OVER 4" OD

OZHRHSLAPLUSPKGBK

for posts OVER 4" OD

OZHRHSLAPLUSPK2BK

Screw type hose clamp style for sign mounting. Needs only a screwdriver to tighten.

Strapping Tools



RHSSTMODEL C1
Strap Cutter



RHSSTMODEL P1
Ratchet Type Strapping Tool



RHSSTMODEL C001
Spinner Type Strapping Tool

Oxford Series Signs



Oxford Series signs represented here are made with High Intensity Prismatic Reflective sheeting which conveys a 10 year warranty and meets the US DOTs stringent 2009 standards with regard to reflectivity. Shown below are many of the available sign sizes and legends in this series. More options available by calling customer service or visiting our website.



Go to www.cpcsigns.com to find all NEW Special Legend Signs.



SLSPX09501218HA
SLSPX09501824HA



SLSPPBP73021218HA
SLSPPBP73021824HA



SLSPPBP7319301218HA
SLSPPBP7319301824HA



SLSPXO1901218HA
SLSPXO1901824HA



SLSPXO5901218HA
SLSPXO5901824HA



SLSPXO6101218HA
SLSPXO6101824HA



SLSPXO2101218HA
SLSPXO2101824HA



SLSPPBN72001218HA
SLSPPBN72001824HA



SLSPPBN711218HA
SLSPPBN711824HA



SLSPPBN83A1218HA
SLSPPBN83A1824HA



SLSPPBN72131218HA
SLSPPBN72131824HA



SLSPPBN72351218HA
SLSPPBN72351824HA



SLSPPBN7111218HA
SLSPPBN7111824HA



SLSPPBN761218HA
SLSPPBN761824HA



SLSPPSP8101218HA
SLSPPSP8101824HA



SLSPPSP8301218HA
SLSPPSP8301824HA



SLSPPSP8001218HA
SLSPPSP8001824HA



SLSPPSP8201218HA
SLSPPSP8201824HA



SLSPPSR51051218HA
SLSPPSR51051824HA



SLSPLSR220BK2418HA



SLSCLP0401812HA
SLSCLP0402418HA



SLSPPSP7101218HA
SLSPPSP7101824HA



SLSPPSP7301218HA
SLSPPSP7301824HA



SLSPPSP7001218HA
SLSPPSP7001824HA




SLSPPSP7201218HA
SLSPPSP7201824HA



SLSPLEC0251218HA
SLSPLEC0251824HA



SLSPLSR230BK2418HA



SLSPEN010BK2418HA



SLSLSCNS4001824HA



SLSPPBH75021218HA
SLSPPBH75021824HA



SLSPPBH7502L1218HA
SLSPPBH7502L1824HA



SLSPPBH7502N1218HA
SLSPPBH7502N1824HA




SLSPPBH7502R1218HA
SLSPPBH7502R1824HA



SLSPPBH781218HA
SLSPPBH781824HA



SLSPPBH78VA1218HA
SLSPPBH78VA1824HA



SLSZAM51RWBK1209HA
SLSZAM51RWBK1812HA
SLSZAM51RWBK2418HA
SLSZAM51RWBK3018HA



SLSZAM51LWBK1209HA
SLSZAM51LWBK1812HA
SLSZAM51LWBK2418HA
SLSZAM51LWBK3018HA



SLSZAM52LWBK1209HA
SLSZAM52LWBK1812HA
SLSZAM52LWBK2418HA
SLSZAM52LWBK3018HA




SLSZAM52RWBK1209HA
SLSZAM52RWBK1812HA
SLSZAM52RWBK2418HA
SLSZAM52RWBK3018HA



SLSZAM63WBK1209HA
SLSZAM63WBK1812HA
SLSZAM63WBK2418HA
SLSZAM63WBK3018HA



S3624110BWHHA
S4836110BWHHA




SLSZAM64WBK1206HA
SLSZAM64WBK1209HA
SLSZAM64WBK1806HA
SLSZAM64WBK1812HA
SLSZAM64WBK2406HA
SLSZAM64WBK2418HA
SLSZAM64WBK3018HA



SLSZAM61WBK1206HA
SLSZAM61WBK1209HA
SLSZAM61WBK1806HA
SLSZAM61WBK1812HA
SLSZAM61WBK2406HA
SLSZAM61WBK2418HA
SLSZAM61WBK3018HA




SLSZAM62LWBK1209HA
SLSZAM62LWBK1812HA
SLSZAM62LWBK2418HA
SLSZAM62LWBK3018HA



SLSZAM62RWBK1209HA
SLSZAM62RWBK1812HA
SLSZAM62RWBK2418HA
SLSZAM62RWBK3018HA



S362412SBWHHA
S483612SBWHHA



S362412LBWHHA
S483612LBWHHA

TRAFFIC SIGNS



Metro Street Name Signs

Installation: Metro Street Name Signs are designed for overhead mast arm mounting with standard brackets.



A route symbol or a pictograph may be used on the left side of a street name sign.



Standard Finished Metro Signs

- Letters: B Series or largest Highway Gothic Font Series that space allows on sign
- Single-Sided • No Holes • White HIP




Did You Know?

Traffic & Custom Signs, both traditional and digitally printed are manufactured to the 3M Matched Component System standards.

The use of 3M's Matched Component System insures your investment. When signs are created with high quality 3M sheeting and components, the sign performance is backed by 3M warranties. The MCS guarantees that signs will remain effective for their intended use and meet minimum values for retroreflection for the specified warranty period. The use of any non-3M materials in conjunction with 3M products will void all warranties.

Standard Overlay Film Colors (shown below)



90" x 30" Sign Blades

Minimum of 8" upper/lower case letters. Fits only 1 line of copy. **OSI84(XXXX)M1HWH**





90" x 36" Sign Blades

Minimum of 8" upper/lower case letters. Fits 2 lines of copy. **OSI84(XXXX)M2HWH**



Metro Street Name Sign Backer

Laminate Vinyl Backer is a cost effective option for a classic feel of the ornamental system. Durable black vinyl is applied to the back of the metro street name sign. The vinyl is not visible from the front side of the sign.



Personalized Custom Signs

LEVEL 1:

Standard Shape with Custom Colors, Letter Fonts and Text.



LEVEL 2:

Standard Shape with Custom Colors, Letter Fonts, Text and Logo.



LEVEL 3:

Custom Shape with Custom Colors, Letter Fonts, Text and Logo.



Overhead Span Wire Mounting Brackets

MEDIUM-DUTY

OSIZ840HCOMM77BK




- ◆ Medium-Duty, made from plated steel and aluminum, powder coat painted semi-gloss black
- ◆ Swivels 360-degrees and adjusts for tilt.
- ◆ Mounts on cables up to 3/8"
- ◆ Pre-assembled for quick installation



Allows Sign to Swing Freely in the Wind.

BEST VALUE HEAVY-DUTY

OSIZ840HCPCSWINGBK



- ◆ Heavy-Duty, 4 and 8 gauge steel, powder coat painted semi-gloss black.
- ◆ 3-way adjustable, weight 4.8 lbs.
- ◆ Mounts on cables up to 3/8"
- ◆ Pre-assembled for quick, hassle free installation of metro street name signs.
- ◆ 2 brackets required for 90" & 96" signs with 12" inset distance from edge of sign.



Overhead Mast Arm Brackets

MEDIUM-DUTY

OSIZ840HCOM88BK



- ◆ Medium-Duty, made from plated steel and aluminum, powder coat painted semi-gloss black.
- ◆ Use black stainless steel strapping for mounting (sold separately)
- ◆ Pre-assembled for quick, hassle free installation.



OZHRHSLA07BK Snap Lock Assembly
22" strap fits post up to 7" OD
OZHRHSLA10BK Snap Lock Assembly
31" strap fits post up to 10" OD
OZHRHSLA1225BK Snap Lock Assembly
38" strap fits post up to 12.25" OD


OZHRHSS1230BK 1/2"x.030"x100"
OZHRHSS3430BK 3/4"x.030"x100"
Black Stainless Steel Strapping



Metro "Mast-o-Bracket" Kit

HEAVY-DUTY

OSIZ840HMWCM30096BK




Main Cable Mount Assembly (Kit includes 1) The main assembly is the bracket at the center of the Mast-O-Bracket system.

Cable Assembly (Kit includes 2) Length: 50" including threaded connector, 1.5" long 3/8"-16 TPI and 1.375" long 5/16" HEX. Nylon locking nut with washer provided. Free end of cable welded to prevent fraying.

Sign Mounting Clamp (Kit includes 4)
16" Sign Mounting Clamp for use with the Mast-o-Bracket.

Schedule 40 Pipe (Kit includes 1)
Pipe is 1.5" Diameter - No Slot, 72" long pipe for 85" - 96" sign



Attachment to Mast Arm Options:
Use Stainless Steel Cables with Hardware provided in kits. Other cable lengths available. All kits come unassembled. Call for quote.

Wayfinding & Entrance Signs

- ◆ Wayfinding and entrance signs can be designed to match other color schemes and shapes in the area.
- ◆ Entrance and wayfinding signs add a nice upscale appeal to the community.
- ◆ Wayfinding signs will direct visitors to sites more easily, creating safer roads and visitor satisfaction.
- ◆ Entrance signs are ideal for subdivisions, businesses, and schools.



Custom Products Corporation

P.O. Box 54091
Jackson, MS 39288-4091
www.cpcsigns.com

PRST STD
U.S. Postage
PAID
Custom Products
Corporation

 Find us on
Facebook
www.facebook.com/cpcsigns

CSNS CATALOG - CAT12

COMPONENTS

CUSTOM STREET NAME PROGRAM



Mail:

P.O. Box 54091
Jackson, MS 39288-4091

Shipping:

1120 Flowood Dr.
Jackson, MS 39232

EMAIL

sales@cpcsigns.com



HOURS OF OPERATION

7:30 am - 5:00 pm CST

Sales:

1-800-367-1492 (Voice)
1-601-932-5854 (Voice)
1-800-206-3444 (Fax)
1-601-932-7178 (Fax)

WEBSITE

www.cpcsigns.com