



A gold medal with a black ribbon. The medal features the text '30+' in large black font, 'YEARS' in white font on a black background, and 'SINCE 1985' in white font at the bottom. The medal is surrounded by a blue and yellow checkered pattern.



Government Sign Shop Supplies




**From fabrication to installation,
CPC is here to supply your
Government Sign Shop needs!**

Reflective Roll Conversion

Don't buy \$3000 worth of reflective and graffiti overlay to fabricate \$500 worth of signs Ever Again! Lower your inventory and improve your sign shop's cash flow, by purchasing reflective roll material by the square foot. (1 sq ft min to unlimited)

- Quick Shipments with many Colors and Widths available.
 - Reflective ASTM types I, III, IV, IX, XI available. Other types may be available on request.
 - Certifications for materials available from manufacturer.
- Also Available:** EC Film, Graffiti Overlays, Magnetics & Sheeted Blanks

This is How We Roll...
Buy Reflective Material by the Square Foot!



Call for Details

3M™ High Intensity Prismatic (HIP)

3M™ 3930 meets all requirements for ASTM Type III and IV.

HIP is the most common type of reflective sheeting today due to the combination of its minimum retro-reflectivity, exceptional warranty, and afford-ability!

Common Sizes	Colors
6" x 50 yds 9" x 50 yds 24" x 50 yds 30" x 50 yds 36" x 50 yds 48" x 50 yds	White (3930) Yellow (3931) Red (3932) Orange (3934) Blue (3935) Green (3937) Brown (3939)

NOTE: Other sizes available. Some colors and sizes may incur a \$25.00 Slit Fee.

3M™ 3430 Series meet all requirements for ASTM Type I reflective.

(EGP) Engineer Grade Prismatic is NOT suitable for cutting in electronic sign making devices nor does it accept digital printing.



RSH (XXXX) (2450)	COLOR	SIZE
EGP	Colors	
(3430)	White	
(3431)	Yellow	
(3432)	Red	
(3435)	Blue	
(3437)	Green	
(3439)	Brown	

*4850CUT - Have the master roll cut in any combination of sizes. NOTE: Some colors and sizes may incur a \$25.00 Slit Fee

3M™ Engineer Grade Prismatic



Roll Sizes	EGP
6" x 50 yds	White
12" x 50 yds	White
18" x 50 yds	White, Yellow
24" x 50 yds	White, Yellow, Blue, Green
30" x 50 yds	White, Yellow
36" x 50 yds	White, Yellow
48" x 50 yds	ALL COLORS
48" CUT*	

Specialty & Flexible Reflectives



We stock **Nikkalite® Series 48000** Flexible pressure sensitive in many colors. The Best Engineer Grade for Plotting, Weeding, and Digital Printing! Nikkalite Series 48000 Engineer Grade meets all requirements for ASTM Type I reflective. Punched or unpunched available. We also distribute **3M™ 680** and **Avery Graphics** specialty reflectives.

Common Sizes	Colors
24" x 50 yds 30" x 50 yds	Black (48003) Brown (48009) Gold (48010) Dark Red (48025) Ruby Red (48035) Red (48005) Blue (48006) Sky/Lt Blue (48046) Green (48008) White (48012) Yellow (48004) Orange (48077)

NOTE: Other sizes may be available. Some colors and sizes may incur a \$25.00 Slit Fee.

Nikkalite® 8100 Series Engineer Grade meets all requirements for ASTM Type I reflective and is ideal for flat surfaces. 8100 Series has a durable acrylic outer layer and is not suitable for most digital printers.



Punched Roll Size
15" x 50 yds
UN-Punched Roll Sizes
6" x 50 yds 9" x 50 yds 12" x 50 yds 18" x 50 yds 24" x 50 yds 30" x 50 yds 36" x 50 yds 48" x 50 yds 48" CUT*

RSH (XXXX) (2450)	COLOR	SIZE
Colors		
White (8112P)		
Yellow (8104P)		
Orange (8177P)		
Red (8105P)		
Blue (8106P)		
Green (8108P)		
Brown (8109P)		

*4850CUT - Have the master roll cut in any combination of sizes to your specifications. NOTE: Some colors and sizes may incur a \$25.00 Slit Fee

3M™ Diamond Grade



12 YEAR Warranty

Meets ASTM reflective: **3M™ Diamond Grade Cubed Series 4000** Type XI
3M™ VIP 3990 Type IX | **3M™ 3924** Type VIII

Sheeting Description	Common Sizes	Colors
DG3 4000 Series (Type XI)	24" x 50 yds 30" x 50 yds 36" x 50 yds 48" x 50 yds	White (4090) Yellow (4091) Red (4092) Blue (4095) Green (4097)
DG Fluorescent Colors 4080 Series - DG3 3980 Series - VIP	24" x 50 yds 30" x 50 yds 36" x 50 yds 48" x 50 yds	Yellow-Green (4083) (3983) Yellow (4081) (3981) Orange (4084)
VIP 3990 Series (Type IX)	6" x 50 yds 9" x 50 yds 24" x 50 yds 30" x 50 yds 36" x 50 yds 48" x 50 yds	White (3990) Yellow (3991) Red (3992) Blue (3995) Green (3997)
Fluorescent Orange 3924 Series (Type VIII)	24" x 50 yds 30" x 50 yds 36" x 50 yds 48" x 50 yds	Fluorescent Orange (3924)

NOTE: Other sizes available. Some colors and sizes may incur a \$25.00 Slit Fee.



3M™ Electro Cut™ Film

3M™ Electro Cut™ Film Series 1170 is a durable, transparent acrylic color film that allows traffic signs to be made on a computer plotter while maintaining the sheeting warranty.

Electro Cut Film Series 1170 & Premium Vinyl Series 7725-12			RS# (XXXX) (1850)
Product	Common Sizes	Colors	COLOR SIZE
EC Film Series 1170	18" x 50 yds 24" x 50 yds	Clear (1170) Yellow (1171) Red (1172)	
	30" x 50 yds 36" x 50 yds	Orange (1174) Blue (1175) Green (1177)	
	48" x 50 yds	Black (1178) Brown (1179)	
Black Premium Vinyl Series 7725-012	24" x 50 yds 30" x 50 yds		
	36" x 50 yds 48" x 50 yds	Black (7725-012)	
	NOTE: Other sizes available.		

Buy Reflective Sheeting by the Square Foot or Roll. - Call for Availability -



3M™ Protective Overlay Film

3M™ Premium Protective Overlay Film Series 1160 Premium is a durable, high-performance, solvent-resistant, transparent film with pressure sensitive adhesive which is applied as a protective overlay to signs made from 3M™ reflective sheetings.

Common types of defacement from vandalism can be cleaned from this film.

Product	Common Sizes	Colors
PREMIUM Protective Overlay Film Series 1160 with premask or 1160A w/o premask	12" x 50 yds 18" x 50 yds 24" x 50 yds 30" x 50 yds 36" x 50 yds 48" x 50 yds	Clear (1160)

NOTE: Other sizes available. Some colors and sizes may incur a \$25.00 Slit Fee.

Vinyl Graphic Films

One stop shop for all your vinyl and special effect film needs!



Find Application Tapes, Tools & Accessories on page 4

Transfer & Prespacing Tapes

We carry all the products you need for a smooth application.



3M™ Clear Transfer Tape (TPM-5)

For use with 3M Series 1170 electronic cuttable film, designed to be used to transfer prepositioned copy.

3M™ Prespacing Tape SCPS-2

This prespace tape is specially formulated for use with large format screen printed and electronically cut graphics to ease the application of small text.

Call for available sizes and details on Transfer and Pre-spacing tapes.


Sheeted Aluminum Blanks





Use for
**Screen
Printing**
or with
**Overlay Film
or Vinyl**

- ◆ Standard reflective traffic sign blanks come with radius corners, .080" aluminum, 3/8" hole punch, and Alodine coating to meet Federal specifications.
- ◆ Standard street name sign blanks come with radius corners, .080" aluminum, NO hole punch, and Alodine coating to meet Federal specifications.
- ◆ Choose between High Intensity Prismatic (H) and Engineer Grade Prismatic (E) reflectives.
- ◆ Orange Diamonds may also be ordered with Fluorescent Orange 3924S Diamond Grade (D).
- ◆ Other shapes, colors, reflective types, and aluminum thicknesses are available. Call for a quote.

Examples of common uses
for reflective blanks.



Rectangles	w/Engineer Grade	w/HIP
 BA080(X)WH(XXXX)R	Size	Size
	12x6R	12x6R
	12x9R	12x9R
	12x18R	12x18R
	18x12R	18x12R
	18x24R	18x24R
	24x12R	24x12R
	24x18R	24x18R
	24x30R	24x30R
	30x24R	30x24R
	30x36R	30x36R



Squares	
w/Engineer Grade	w/HIP
Size	Size
24x24S	24x24S
30x30S	30x30S
 BA080(X)WH(XXXX)S	

When Ordering Blanks **REMEMBER** Specify Width first and Height second.

Diamonds

w/ HIP	w/ Diamond Grade
Size	Size
24x24D	30x30D
30x30D	36x36D
36x36D	48x48D

Examples of
common uses
for reflective blanks.



Flat Blades

Sheeted Aluminum Street Name Blanks

Extruded Blades

w/Engineer Grade	w/HIP
Size	Size
6x18F	6x18F
6x24F	6x24F
6x30F	6x30F
6x36F	6x36F
6x42F	6x42F
6x48F	6x48F
9x24F	9x24F
9x30F	9x30F
9x36F	9x36F
9x42F	9x42F
9x48F	9x48F
9x54F	9x54F
9x60F	9x60F



All Reflective Street Name Sign
Blanks are Double Sided.
Call for quote on Single Sided.

Available Colors:
Blue, Green, Brown and White.



w/Engineer Grade	w/HIP
Size	Size
6x18E	6x18E
6x24E	6x24E
6x30E	6x30E
6x36E	6x36E
6x42E	6x42E
6x48E	6x48E
9x24E	9x24E
9x30E	9x30E
9x36E	9x36E
9x42E	9x42E
9x48E	9x48E
9x54E	9x54E
9x60E	9x60E



Conform
SERIES With RLA™
Application Tape



R-Tape Conform Series Application Tape 100 Yard Rolls		
Item #	Width	
RSHZAC1026S	4.25"	The original high tack application tape that lays flat and sticks to the liner - resists tunneling, wrinkling, and edge curling! Excellent for ready-to-apply graphics.
RSHZAC1027S	6.5"	
RSHZAC1028S	8.5"	
RSHZAC1029S	12"	
RSHZAC1030S	14"	
RSHZAC1033S	24"	
RSHZAC1034S	30"	



The R-Tape Apli Tape Series

is available in White and Clear as well as a wide variety of sizes.

Other Sizes Available
Call for Quotation

R-Tape Apli Tape Series 100 Yard Rolls		
Item #	Width	
RSHZA1024S	2.25"	HI-TAC PAPER
RSHZA1025S	3.25"	
RSHZA1026S	4.25"	
RSHZA1027S	6.5"	
RSHZA1028S	8.5"	
RSHZA1029S	10.5"	
RSHZA1030S	12"	
RSHZA1031S	14"	
RSHZA1033S	24"	
RSHZA1034S	30"	
RSHZA1017S	6.5"	CLEAR
RSHZA1018105S	10.5"	
RSHZA101812S	12"	
RSHZA1021S	14"	
RSHZA1022S	24"	
RSHZA1022T30S	30"	
RSHZA1022T36S	36"	
RSHZA1022T48S	48"	

Application Tools

Application Fluids



RSHZTS0059
3M™ Gold Nylon Squeegee



RSHZTS1008
White Squeegee



RSHZT0015
1" Rivet Brush

RSHZT0016
3" Rivet Brush

RSHZT1006S
4" Roller




Item#	Description
Rapid-Tac Application Fluid	
RSHZ1003S	32oz. Bottle w/Sprayer
RSHZ1002S	1 Gallon Bottle
Adhesive Removal Formula	
RSHZ0414	32 oz. Bottle w/Sprayer
RSHZ0415	1 Gallon Bottle

Die Cut Letters & Numbers

Combine for Quantity Discounts

- ◆ All Characters are packaged in groups of 25 identical pieces.
- ◆ Combine Stock Packs for Quantity Discounts.
- ◆ Letters and Numbers are available in a full range of series, sizes, and materials.
- ◆ Letter and Number Sizes Available: 2", 3", 4", 5", 6", 7", 8" and 10"
- ◆ White High Intensity Prismatic, White Engineer Grade and Black Vinyl are available in pressure sensitive material.
- ◆ Other colors and materials are available but may be considered special order, call for details.
- ◆ Specify Size, Series, Material and Quantities when ordering.



Parking Arrows



E Series



B Series



C Series



D Series

★ U-Channel Posts & Accessories




U-CHANNEL

SQUARE

ROUND

UNIVERSAL



- ◆ U-Channel posts are manufactured from high tensile steel.
- ◆ Available in your choice of hot dip Galvanized or Green paint finish.
- ◆ Punched full length with 3/8" holes on 1" centers.
- ◆ Measured by length and pounds per foot.
- ◆ Other lengths and weights available in 50 piece bundles.
- ◆ Call for a quote.

NOTE: POSTS TALLER THAN 8' MUST SHIP TRUCK LINE.

Stock #	Size	Finish
RPOCG0352*	3.5FT • 2LB	Galvanized
RPOCG061	6FT • 1.12LB	Galvanized
RPOCG071	7FT • 1.12LB	Galvanized
RPOCG062	6FT • 2LB	Galvanized
RPOCG082	8FT • 2LB	Galvanized
RPOCG0925	9FT • 2.5LB	Galvanized
RPOCG102	10FT • 2LB	Galvanized
RPOCG122	12FT • 2LB	Galvanized
RPOCG123	12FT • 3LB	Galvanized
RPOCG143	14FT • 3LB	Galvanized
RPOCP0352*	3.5FT • 2LB	Green
RPOCP061	6FT • 1.12LB	Green
RPOCP062	6FT • 2LB	Green
RPOCP072	7FT • 2LB	Green
RPOCP082	8FT • 2LB	Green
RPOCP102	10FT • 2LB	Green
RPOCP122	12FT • 2LB	Green

★ Sign Saver

Place between sign and post and sign will not bend from over tightening.



BA080SAVER

★ Anchor Plate

Galvanized anchor plate keeps post firmly in place.



BA080APLATEUCH

* Base Posts for Breakaway Feature

★ U-Channel Break-A-Way Systems



Safety Splice System

- ◆ Ingeniously simple design by Chicago Heights Steel.
- ◆ FHWA & AASHTO approved.
- ◆ Posts to 4 lbs.
- ◆ Two special bolts & spacers join base post to top post.

RPOCZSAFETYSPLICE for 1 to 2-1/2 lb posts
RPOCZSAFETYSPLICE3 for 3 to 4 lb posts



Lap Splice System

- ◆ Economical breakaway system by Marion Steel.
- ◆ FHWA & AASHTO approved.
- ◆ Posts to 4 lbs. Two special bolts & spacers join base post to top post.

RPOCZLAPSPLICE Silver for 2 to 2-1/2 lb posts 1/2" x 3/4" x 5"
RPOCZLAPSPLICE Gold for 3 to 4 lb posts 1/2" x 3/4" x 5"

★ Snap'n Safe Coupler



RPOCZSNAPNSAFE

Snap'n Safe Coupler

- ◆ Made of cast gray iron, and withstands winds of 120 mph.
- ◆ EASY INSTALLATION: Simply insert Coupler in anchor and bottom of sign post and assemble with (4) bolts.
- ◆ Installation hardware included.
- ◆ For U-Channel Posts 2 to 4 lbs.



★ Snap'n Safe Surface Mount



RPOCZMUSNAPNSAFE

Snap'n Safe Surface Mount

- ◆ Made of cast gray iron, and withstands winds of 120 mph.
- ◆ EASY INSTALLATION: Simply drill (3) holes in concrete using the base as guide. Secure coupler to concrete with (3) bolts. Attach sign post with (2) bolts.
- ◆ Installation hardware included.
- ◆ For U-Channel Posts 2 to 4 lbs.



Surface Mount Breakaway Base



Universal Stub for Round, U-Channel and Square Post 1.75" or larger

RPOGPBSB100 -15" Diameter Surface Mount Breakaway System



RPOGPBSB100ZRS Replacement Stub for Surface Mount Breakaway System



Surface Mount Anchor Screws for Concrete
RHSMSCA1240 - 1/2" x 4"
RHSMSCA3825 - 3/8" x 2-1/2"

Surface Mount Anchor Screws for Asphalt
RHSMSCA3840 - 3/8" x 4"

Rivets & Rivet Gun



Cherry-Mate Rivets

RHRBALM8BP18 - #18 Rivet for 1.12# U-Channel Post
RHRBALM8BP26 - #26 Rivet for 2# U-Channel Post
RHRBALM8BP30 - #30 Rivet for 2.5# U-Channel Post
RHRBALM8BP34 - #34 Rivet for 3-4# U-Channel Post

Rivet Gun




RHRBALMGUN Rivet Gun





RPBM317(F/X)

Decorative Sign Top Finial



Econo Brackets

3-3/8" slot for Flat Sign Blades.
Includes hardware.



RPB390
Crosspiece (100/box)



RPBROKPRUF1
180° Cap (100/box)



RPB990(F/X)
Crosspiece
(50/box)



RPB457(F/X)
45° Universal
(100/box)



RPB91U(F/X)-NU180
180° Cap
(50/box)



RPB91U(F/X)-OL90
90° Cap
(50/box)

Vandal Resistant Bracket Hardware



RHBVPA12T43
12 Point Tool For RHBVPA12



RPB412C(F/X)
Crosspiece (10/box)



RPB412U(F/X)OL90
90° Cap (30/box)



RPB412U(F/X)NU180
180° Cap (30/box)

Jumbo Brackets

12" slot for Flat (F) or Extruded (X) sign blades.
Includes hardware.

Bracket Hardware • Tools (May Be ORDERED Individually)



RHBHP76
Button Head
Vandal Resistant
Bolt (100/Box)



RHBVPA12
12 Point
Vandal Resistant
Bolt (100/Box)



RHBSK56
Standard Set Screw
(100/Box)



RHBSK56
Stainless Steel Set Screw
(100/Box)



RHBPRP38
Center Pin Set Screw
(100/Box)



RHBSKT100
Allen Wrench Tool
For Set Screws



RHBSKF100
Allen Wrench Tool
For Set Screws

Semi-Custom Hardware Systems



Make aluminum sign installation easy by using one of our semi-customized hardware systems. Choose a bolt, nut and washer style in each system to create your own semi-custom packages. *Typically Sold in Boxes of 100*

Pre-Packaged Hardware

Make aluminum sign installation easy by using one of our hardware packages. Each package is pre-sized to ensure adequate fit to the post.

Standard System



RHB51625H
5/16" x 2-1/2"
Zinc Hex Bolt



RHW516NYLON
5/16"
Nylon Washer



RHW516LOC
5/16"
Zinc Lock Washer



RHN516
5/16"
Zinc Nut

Vandal Resistant System



RHB51625OW
One-Way
Tamper Bolt
5/16" x 2-1/2"



RHB51625C
5/16" x 2-1/2"
RHB51630CAT
5/16" x 3"
Zinc Carriage Bolt



RHW516NYLON
5/16" Nylon Washer



RHN516VPA - Econo
5/16" Breakaway
Vandal Proof Nut
RHN516VPAPREMIUM
5/16" Breakaway
Vandal Proof Nut
Made In The U.S.A.

Tufnut Vandal Resistant System



RHTB3
5/16" x 3"



RHTB25
5/16" x 2-1/2"
Tuf Bolt



RHW516NYLON
5/16" Nylon Washer



RHTN31
5/16" Tufnut

Special System

Optional Washer & Nuts for Semi-Custom Systems



RHN516FLUTEDA
5/16"
Fluted Tamper
Resistant Nut



RHTN31
5/16"
Tufnut



RHW516
5/16"
Zinc Washer



RHN516FLUTEDT2
Tool For Fluted Nut

Econo Hexhead Packages



RH0112E01
1 sign to post



RH0112E10
10 signs to posts

Package for mounting signs to
1.12# delineator posts
RH0112E01
1 sign to post
RH0112E10
10 signs to posts

Package for mounting signs to
2-3# u-channel posts
RH023E01
1 sign to post
RH023E10
10 signs to posts

Vandal Resistant Packages



RH0112V01
1 sign to post




RH0112V10
10 signs to posts

Package for mounting signs to
1.12# delineator posts
RH0112V01
1 sign to post
RH0112V10
10 signs to posts

Package for mounting signs to
2-3# u-channel posts
RH023V01
1 sign to post
RH023V10
10 signs to posts

Vandal Resistant Packages



RH0112PSV01
1 sign to post



RH0112PSV10
10 signs to posts

Package for mounting signs to
1.12# delineator posts
RH0112PSV01
1 sign to post
RH0112PSV10
10 signs to posts

Package for mounting signs to
2-3# u-channel posts
RH023PSV01
1 sign to post
RH023PSV10
10 signs to posts

X-Tube Flexible Sign Posts

- ◆ Lightweight, durable plastic sign posts bend when struck, rebound to vertical position and won't damage vehicles like steel posts.
- ◆ The white X-Tube Post is a 1.75" square post supported by two internal, corner-to-corner reinforcing cross beams.
- ◆ Made from UV-stabilized polymers, the posts offer superior impact resistance and withstand all weather conditions.
- ◆ Surface Mount Base accepts both the X- and Y-Tubes or 1.75" square steel tube and locks securely in place with a simple bolt or quick-release pin.

RPOFPSPXTUBEWH(XXX) - White Sign Post, drilled for 12" x 18" sign
48" (048) | 60" (060) | 72" (072) | 78" (078) | 84" (084) | 96" (096) | 108" (108)

RPOFPSPZXTUBECAP - Black Post Cap

RPOFZPXTUBEBASE800QR - Quick Release Pin



Surface Mount
Anchor Screws for Concrete
RHSMSCA1240 - 1/2" x 4"
RHSMSCA3825 - 3/8" x 2-1/2"



RPOFPSPZXTUBEBASE
Surface Mount Base



RPOFZPXTUBEBASEYETI
"The Yeti" 40# Portable Base

Pedestal Base



RPOGP4
14" Cast Iron
Base With 4' Pipe.
Weighs 27 lbs.

Cast Iron Pedestal Bases are drilled for mounting signs:
- 12" x 18"
- 18" x 24"
- 24" x 24"

Hardware Package
for mounting sign to
GP Pedestal
RH6GPE01




RPOGP5WHEELKIT
Optional Wheel Kit
attaches to Cast Iron
Pedestal Base to make
the base portable and
easy to transport.
Hardware Included.



**Add-On
Brite-Max
Post Reflectors**
for enhanced
safety and
visibility!



**For Maximum
Visibility use
Fluorescent Yellow
Chevrons.**
Call for a quote.




Item #	Description
RPBCAB2	Chevron Adjustable Bracket fits 12" x 18", 18" x 24" and 24" x 30" Chevrons
RPBCAB3	Chevron Adjustable Bracket fits 24"x30" and 30"x36" Chevrons
S1824W18(H)A	18" x 24" Chevron Sign
S2430W18(H)A	24" x 30" Chevron Sign
RPOCG123	12FT • 3LB Galvanized U-Channel Post
RHB51625C	5/16" x 2-1/2" Zinc Carriage Bolt
RHW516NYLON	5/16" Nylon Washer
RHN516VPA	5/16" Breakaway Vandal Proof Nut
BA080(H) (YE)0530BMMV	5" x 30" Yellow High Intensity Brite-Max Multi-View Reflector

IMPACT recovery
SYSTEMS™

Sta-Rite Flexible Sign Posts

- ◆ For permanent use within parking lots and garages or where occasional bumping by vehicles can damage traditional signposts causing costly repairs or replacement.
- ◆ Premium Flexible Post is constructed of white powder coated aluminum.
- ◆ Outer optional, durable plastic, yellow bollard prevents bumper damage to post and simulates a formidable concrete barrier for added conspicuity.
- ◆ Asphalt, concrete, or in-ground installation. (*Bases Sold Separately*)
- ◆ Unit has a reactive spring assembly that allows the signpost to be bumped by vehicles, rebound, and return upright.
- ◆ Complete with two (2) brackets and required bracket hardware.
- ◆ Black post black cap is included.
- ◆ Supports signs up to: • Aluminum 12" x 18" • HDPE (plastic) up to 18" x 24"



ITEM CODE	Post Height	for Base Style	Bollard
RPOFPSISRB060Q	60"	Quick Release	Includes Bollard
RPOFPSISRB060F	60"	Fixed	
RPOFPSISRB078F	78"	Fixed	
RPOFPSISRB102F	102"	Fixed	
RPOFPSISRN060Q	60"	Quick Release	NO Bollard
RPOFPSISRN060F	60"	Fixed	
RPOFPSISRN078Q	78"	Quick Release	
RPOFPSISRN078F	78"	Fixed	
RPOFPSISRN078D	78"	Drivable	
RPOFPSISRN102F	102"	Fixed	



Flexible Sign Posts

- ◆ Standard version of the Sta-Rite Aluminum posts.
- ◆ Post is made of white HDPE (hi-density plastic)
- ◆ Post black cap is included.
- ◆ No sign holes punched in posts. (*Bases Sold Separately*)
- ◆ Supports signs up to:
 - Aluminum 12" x 18" • HDPE up to 18" x 24"

ITEM CODE	Post Height	Post Color	for Base Style
RPOFPSISPWH060QN	60"	White	Quick Release
RPOFPSISPWH060FN	60"		Fixed
RPOFPSISPWH066QN	66"		Quick Release
RPOFPSISPWH066FN	66"		Fixed
RPOFPSISPWH066DN	66"		Drivable
RPOFPSISPYE060FN	60"	Yellow	Fixed
RPOFPSISPYE060QN	60"		Quick Release
RPOFPSISPOR060FN	60"	Orange	Fixed
RPOFPSISPOR066FN	66"		Fixed

Flexible Sign Post Bases

ITEM CODE	Description
RPOFZISMFBK	Fixed Black Base
RPOFZIQRFBASEBK	Quick Release Black Base
RPOFZIDB218SQ12	Drivable Base
RPOFZIQRPBASE	Quick Release Portable One Base
RHSMSSLS12	Anchor Kit includes 4 Lag Screws for attaching base to ground



Drivable Base



Fixed Base



Quick Release Base



Anchor Kit



Portable One Base

Brackets for Signal or Utility Pole Mounting

RPBCT4
4.5" x 2.5"
Flat Blades
Bell Wing
Bracket
(50/Box)



RPBCT8 - 14.5" Long
Flat or Extruded
Cantilever Wing Bracket
(10/Box)

Quick SHIP



RPBCT800 - 24" Long
Flat or Extruded
Cantilever Wing Bracket
(15/Box)

Quick SHIP **TOP SELLER**



RPBCT830 - 30" Long
Flat or Extruded
Cantilever Wing Bracket
(10/Box)



RPBCT836 - 36" Long
Flat or Extruded
Cantilever Wing Bracket
(10/Box)



Bell Wing Bracket
RPBCTBW12 - 12" (50/Box)
(Requires single strap)

RPBCTBW18 - 18" (50/Box)

RPBCTBW24 - 24" (25/Box)
Sign attaches with 5/16" bolts.
Hardware NOT Included.



Bracket Hardware & Tools Sold Separately

RHSLA
Snap Lock Assembly



RHBSSKT100
Allen Wrench Tool
For Set Screws
and RHBHP76



RHSSH8
5/16"
Stainless Steel
Nut



RHBSK56
Stainless Steel
Set Screw
(100/Box)



RHSSHB516
5/16" x 18 x 3/4"
Stainless Steel
Bolt



Strap or Bolt to Post or Wall

Stainless Steel Strapping

Buckle Bracket Package

RHSBB7

Each package contains everything needed, including hardware, to mount 1 sign to a post that is 4" - 12" in diameter.



BACK




FRONT

Snap Lock Assembly Packages

for posts 4" OD or LESS

RHSLAMINUSPKG




for posts 4" OD or LESS

RHSLAMINUSPK2




for posts OVER 4" OD

RHSLAPLUSPKG




for posts OVER 4" OD

RHSLAPLUSPK2



for posts 2" up to 12 1/4" OD

RHSLACANTILEVERPKG



for posts 2" up to 12 1/4" OD

RHSLACANTILEVERPK2



1 SIGN MOUNT PACKAGES

2 SIGN MOUNT PACKAGES FOR BACK TO BACK APPLICATIONS

Screw type hose clamp style for sign mounting.
Needs only a screwdriver to tighten.

Build Your Own Package

RHSSBPLUS4
Plus 4 Sign Bracket
For Posts Over 4" in Diameter



RHSSBMINUS4
Minus 4 Sign Bracket
For Posts 4" in Diameter or Less



RHSSBC
Cantilever Sign Bracket



RHSLA Snap Lock Assembly - 9/16" x 40" strap fits post from 1-3/4" to 12-1/4" in diameter.



RHSSHB3465
Buckle for .030" or thicker strapping



RHSSHWS06
Wing Seal for .025" or thinner strapping



RHSS3420 3/4" x .020" x 200'
RHSS3425 3/4" x .025" x 100'
RHSS3430 3/4" x .030" x 100'
Stainless Steel Strapping



RHSSH8 5/16"
Stainless Steel Nut
(Only required for cantilever bracket)




RHSSHB516
5/16" x 18 x 3/4"
Stainless Steel Bolt




Strapping Tools


RHSSTMODEL C1
Strap Cutter



RHSSTMODEL P1
Ratchet Type
Strapping Tool



RHSSTMODEL C001
Spinner Type Strapping Tool



Brackets for Overhead Span Wire Mounting



- ◆ Made from cast aluminum
- ◆ Swivels 360°
- ◆ Recommended for Traffic Signs ONLY - up to 24" x 30"
- ◆ Mounts on cables up to 3/8"
- ◆ Unassembled



Allows Sign to *Swing Freely* in the Wind.



- ◆ Made from plated steel and aluminum
- ◆ Swivels 360-degrees and adjusts for tilt.
- ◆ Mounts on cables up to 3/8"
- ◆ Pre-assembled for quick installation



HEAVY-DUTY


• IN STOCK •
May Be ORDERED Individually or in a Box of 10

Sign Length	Number of Brackets	Inset Distance from Edge of Sign
up to 42"	1	centered
42" - 66"	2	3"
67" - 84"	2	6"
85" - 102"	2	12"
103" - 120"	2	16"
over 120"	3	centered & 16"

- ◆ Heavy-duty, 4 and 8 gauge steel
- ◆ 3-way adjustable
- ◆ Net weight 4.8 lbs.
- ◆ Mounts on cables up to 3/8"
- ◆ Pre-assembled for quick hassle free installation



Overhead Mast Arm "Mast-o-Brackets"



Main Cable Mount Assembly

RPBOHMWCMZ8214 - The main assembly is the bracket at the center of the Mast-O-Bracket system.

Cable Assembly

RPBOHMWCMZ8213 - (2 required per mount)
Length: 50" including threaded connector, 1.5" long 3/8"-16 TPI and 1.375" long 5/16" HEX. Nylon locking nut with washer provided. Free end of cable welded to prevent fraying.

Sign Mounting Clamp

The number of sign mounting clamps are determined by the length of sign and should be spaced accordingly. Refer to chart (shown at left).


RPBOHMWCMZ8300 - 8" Sign Mounting Clamp for using 12" signs with the Mast-o-Bracket.

RPBOHMWCMZ8301 - 16" Sign Mounting Clamp for using 18" or larger signs with the Mast-o-Bracket.

Schedule 40 Pipe (1.5" Diameter - No Slot)

RPBOHMWCMZP24 - 24" long pipe for up to 36" sign
RPBOHMWCMZP36 - 36" long pipe for 37" - 48" sign
RPBOHMWCMZP40 - 40" long pipe for 49" - 66" sign
RPBOHMWCMZP60 - 60" long pipe for 67" - 84" sign
RPBOHMWCMZP72 - 72" long pipe for 85" - 96" sign
RPBOHMWCMZP84 - 84" long pipe for up to 97" - 120" sign

KIT ITEM #	Fits Signs Sizes	Main Cable Mount Assembly KIT QTY	50" Cable Assemblies KIT QTY	1.5" diameter Schedule 40 Pipe LENGTH	16" long Sign Mounting Clamps KIT QUANTITY
RPBOHMWCM30036	up to 36"	1	2	24" long	2
RPBOHMWCM30048	37" - 48"	1	2	36" long	2
RPBOHMWCM30066	49" - 66"	1	2	40" long	2
RPBOHMWCM30084	67" - 84"	1	2	60" long	4
RPBOHMWCM30096	85" - 96"	1	2	72" long	4
RPBOHMWCM30120	97" - 120"	1	2	84" long	4



Attachment to Mast Arm Options:

Use Stainless Steel Cables with Hardware provided in kits. Other cable lengths available. All kits come unassembled. Call for quote.



Overhead Mast Arm Brackets



MEDIUM-DUTY

RPBOHCOM88

- ◆ Medium-Duty, made from plated steel and aluminum
- ◆ Use stainless steel strapping for mounting (*sold separately*)
- ◆ Pre-assembled for quick hassle free installation
- ◆ May be ordered individually or in a box of 10

MORE Brackets, Strapping, Hardware & Tools Available

RHSLA
Snap Lock
Assembly



RHSS3430
3/4"x.030"x100'
Stainless Steel
Strapping




Border Blanks & Partially Finished Signs


We make a variety of border blanks made with (H) High Intensity Prismatic, and (D) VIP Diamond Grade on .080" aluminum. Most are in stock.




S1218BOBUWH(H)A




S1218BOBKWH(H)A
S1824BOBKWH(H)A
S2430BOBKWH(H)A



S1218BOREWH(H)A
S1824BOREWH(H)A




S1218BOGRWH(H)A



S1218RBGRWH(H)A



S1218RBBUWH(H)A
S1824RBBUWH(H)A



S1824BOBKYE(H)A




S1218R71B(H)A



S1218R83AB(H)A




S1218R83AV(H)A



S1824R21B(H)A
S2430R21B(H)A
S4860R21B(H)A



S1818W131PB(H)A



S2424BOBKWH(H)A
S3030BOBKWH(H)A



Other border blank/partially finished sign combinations available.

However, a minimum order of 5 identical pieces is required.

THESE ARE NOT COMBINABLE FOR QUANTITY DISCOUNTS.

Orange & Yellow Diamond border blanks made with (H) High Intensity Prismatic or (D) VIP Diamond Grade on .080" aluminum.



S3030BOBKOR(D)AC
S3636BOBKOR(D)AC
S4848BOBKOR(D)AC



S2424BOBKYE(H)A
S3030BOBKYE(H)A
S3636BOBKYE(H)A



14" x 10" OSHA Sign Headers

OSHA signs are non-reflective painted finish on .040" aluminum (A) material.



ISS1410A1000



ISS1410A2000



ISS1410A3000



ISS1410A4000



ISS1410A5000



Fluorescent Orange Diamond Grade Signs

STOP Faces



SNON6024G201BDAC



10" E Series
S2424W131PBDAC



SPL1233W42STRDAC
Straight Line Plaque
For W4-2



7" D Series
S4848W201FDAC



Border Blank
S3636BOBKORDAC
S4848BOBKORDAC



Double Pavement
Transition
S4848W42DDAC



48"X 16" Plaque
for 48" X 60"
Speed Limit Sign
BA080DOR4816BM



S4848W205B1MDAC



S4848W205B5MDAC



S4848W205B15DAC



Double Faced
SPL0720W205RLDA



Minimum order of 5 identical faces required.

Stop Faces

w/ High Intensity Prismatic

Size

FNON2424R11HP

F3030R11HP

w/ Engineer Prismatic

Size

FNON2424R11EP

F3030R11EP

CUSTOM STREET NAME

PACKAGES, SYSTEMS & COMPONENTS

Custom Products offers 3 easy ways to order Custom Street Name Signage with Packages, Systems and Components. Choose one of the 4 designs that fits your neighborhood style while eliminating the guesswork on compatibility and MUTCD compliancy. Standard components are powder coated with a durable semi-gloss black for an elegant look. Other color options are available upon request.

PACKAGES

Packages are the easiest way to get everything you need in pre-designed packages. This convenient method offers significant savings in both time and money.

SYSTEMS

Systems offer some customization to the ornamental system while still keeping the process simple. Follow the steps and choose the options to complete your system.

COMPONENTS

Components allows for the most options to design your own system. Components are offered for each post style including u-channel, square and round posts.



Custom Products Corporation

P.O. Box 54091

Jackson, MS 39288-4091

www.cpcsigns.com



Find us on
Facebook

www.facebook.com/cpcsigns

PRST STD
U.S. Postage
PAID
Custom Products
Corporation

GOVT SIGN SHOP SUPPLIES - CAT12



Mail:

P.O. Box 54091
Jackson, MS 39288-4091

Shipping:

1120 Flowood Dr.
Jackson, MS 39232

EMAIL

sales@cpcsigns.com



JACKSON
MISSISSIPPI

HOURS OF OPERATION

7:30 am - 5:00 pm CST

Government Sales:

1-888-905-5665 (Phone)

1-800-206-3444 (Fax)

WEBSITE

www.cpcsigns.com

EMAIL

government@cpcsigns.com